


Web Accessibility Audit Report

Automated WCAG 2.1 A/AA analysis — **Does Not Conform**

URL Scanned: https://www.mauthor.com/present/5384431920873472 **Scan Date:** May 18, 2026 at 12:41 PM
Tools Used: axe-core, Playwright, runtime-crawler **Testing Type:** Automated + Runtime Exploration
WCAG Version: 2.2 Level AA **Browser:** Chromium (Playwright)

PAGE PREVIEW (WHEN SCAN ENDED)



CONTENTS

1. [Executive Summary](#)
2. [Scope & Methodology](#)
3. [Issue Summary](#)
4. [Screens & issues by screen](#)
5. [Detailed Accessibility Findings](#)
6. [Prioritization & Fix Roadmap](#)
7. [Compliance Summary](#)
8. [Accessibility Testing Limitations](#)
9. [Page Structure Audit](#)

1. Executive Summary

Total Issues

0

Critical

2

Serious

8

Moderate

0

Compliance Score

76%

Does Not Conform

Conformance Statement:

Does not conform to WCAG 2.1 AA

Score calculated as:

(32 passed checks / 42 total checks) × 100.

2. Scope & Methodology

Parameter	Details
Tools Used	axe-core, Playwright, runtime-crawler
Testing Type	Automated + Runtime Exploration
WCAG Standard	WCAG 2.2 Level AA
Browser / Engine	Chromium (Playwright)
Scan Date	5/18/2026, 12:41:12 PM
Iframe Scanning	Same-origin iframes included
Dynamic Content	DOM mutation observer active during session

3. Issue Summary


Rule ID	Severity	WCAG SC	Description	Affected Elements
No issues detected.				

4. Screens & issues by screen

Each row is one detected screen: viewport snapshot (when available) and every accessibility issue tied to that screen. Highlighted element captures still appear under each rule in section 5.

Screen 2 — <https://www.mauthor.com/present/5384431920873472>

Viewport at time of scan.




ISSUES ON THIS SCREEN (0)

No issues recorded for this screen.

Final page state (end of session)

Captured when the dynamic scan was stopped.



5. Detailed Accessibility Findings

No accessibility issues were detected.

6. Prioritization & Fix Roadmap

No issues to prioritize.

7. Compliance Summary

Overall Conformance: Does not conform to WCAG 2.1 AA

Passed Success Criteria

SC	Status
1.3.1	Supports
1.4.12	Supports
1.4.4	Supports
2.1.1	Supports
2.1.3	Supports
2.4.4	Supports
2.5.8	Supports
3.1.2	Supports
3.3.2	Supports

Failed Success Criteria

SC	Status
1.1.1	Does Not Support
1.4.3	Does Not Support
2.4.2	Does Not Support
3.1.1	Does Not Support
4.1.2	Does Not Support

8. Accessibility Testing Limitations

Important Notice

This compliance score is based on automated testing only. Manual testing with assistive technologies is required for full WCAG conformance validation. Automated tools typically detect 30-40% of all accessibility issues.

- Automated tools detect approximately 30–40% of all WCAG issues.
- Manual testing with screen readers (NVDA, JAWS, VoiceOver) is required for full validation.
- Cognitive accessibility, focus order, and reading order require human review.
- Dynamic content states (modals, tooltips, live regions) may require interactive testing.
- Color perception and motion sensitivity issues require manual evaluation.

9. Page Structure Audit

Element Type	Total	Issues
Images	2	2 without alt text
Links	20	1 empty links
H1 Headings	0	Expected exactly 1
H2 Headings	0	—
H3 Headings	0	—